INDEX TO VOLUME 64C

January to December 1960

A

Page

Allred, C. M., C. C. Cook, A multiple isolated input network with common output ... 225
Almer, H. E., Response of microchemical balances to changes in relative humidity ... 281
Antioxidants, effects on asphalt durability ... 13
Apparatus for the measurement of the normal spectral emissivity in the infrared ... 99
Asphalt durability, effects of antioxidants ... 13
Asphalts, characteristics of fifteen coating-grade ... 299
Asphalts, two coating-grade, chemical changes occurring during weathering ... 287
Attenuation measurements, microwave, with accuracies from 0.0001 to 0.06 decibel over a range of 0.01 to 50 decibels ... 139
Automatic precise recording of temperature ... 271

B

Bach, R. L., J. H. Hubbell, J. C. Lamkin, Radiation field from a rectangular source ... 121
Balance pans, gimbal device to minimize the effects of off-center loading ... 277
Balances, microchemical, response of to changes in relative humidity ... 281
Beatty, R. W., G. F. Engen, Microwave attenuation measurements with accuracies from 0.0001 to 0.06 decibel over a range of 0.01 to 50 decibels ... 139
—, *G. E. Schafer*, Error analysis of a standard microwave phase shifter ... 261
Beitchman, B. D., Effects of antioxidants on asphalt durability ... 13
Bennett, J. A., H. E. Frankel, W. L. Holshouser, Effect of oleophobic films on metal fatigue ... 147
Berger, E. L., G. Hefley, R. H. Doherty, An intermittent-action camera with absolute time calibration ... 159
Birmingham, B. W., L. E. Scott, R. F. Robbins, D. B. Mann, Temperature stratification in a nonventing liquid helium Dewar ... 19
Blaine, L. R., E. K. Plyler, Transmittance of materials in the far infrared ... 55
Blocks, gage, a new method of measuring ... 173
Blocks, gage, of superior stability: initial developments in materials and measurement ... 175
Bowman, H. A., L. R. Macurdy, Gimbal device to minimize the effects of off-center loading on balance pans ... 277
Brown, E. H., Expansion engines for hydrogen liquefiers ... 25

C

Calibration, capacitor, by step-up methods ... 75
Camera with absolute time calibration, intermittent-action ... 159
Capacitor calibration by step-up methods ... 75
Carpenter, L. H., G. H. Keulegan, Disturbances due to the motion of a cylinder in a two-layer liquid system ... 241
Cathode-ray tubes, electrostatic deflection plates ... 103
Cesium-137 and cobalt-60 gamma rays with a free-air chamber, measurement ... 87
Chain-ratio method, statistical, for estimating relative volumes of mail to given destinations ... 37
Chamber, free-air, measurement of cobalt-60 and cesium-137 gamma rays ... 87
Characteristics of fifteen coating-grade asphalts ... 299
Chemical changes occurring during the weathering of two coating-grade asphalts ... 287
Coating-grade asphalts, characteristics of fifteen ... 299
Cobalt-60 and cesium-137 gamma rays with a free-air chamber, measurement ... 87
Cones, H. N., J. H. Park, Phase angle master standard for 400 cycles per second ... 229
Cook, C. C., C. M. Allred, A multiple isolated-input network with common output ... 225
Cylinder in a two-layer liquid system, disturbances due to the motion ... 241

D

Deflection plates, electrostatic, for cathode-ray tubes ... 103
Design of single-bend deflection plates with parallel entrance sections ... 103
Developments, initial, in materials and measurement: gage blocks of superior stability ... 175
Device, gimbal, to minimize the effects of off-center loading on balance pans ... 277
Dewar, nonventing liquid helium, temperature stratification ... 19
Distortion, deflection defocusing, of single-bend deflection plates with parallel entrance sections ... 103
Disturbances due to the motion of a cylinder in a two-layer liquid system ... 241
Dixon, H. D., G. S. Ross, Automatic precise recording of temperature ... 271
Doherty, R. H., G. Hefley, E. L. Berger, An intermittent-action camera with absolute time calibration ... 159
Dressler, R. F., J. P. Vinti, The functional systhesis of linear plots ... 115

E

Effect of oleophobic films on metal fatigue ... 147
Effects of antioxidants on asphalt durability ... 13
Electrostatic deflection plates for cathode-ray tubes. I. Design of a single-bend deflection plates with parallel entrance sections. II. Deflection defocusing distortion of a single-bend deflection plates with parallel entrance sections ... 103

Page

Emissivity, normal spectral, in the infrared, apparatus for the measurement ... 99
Engen, G. F., R. W. Beatty, Microwave attenuation measurements with accuracies from 0.0001 to 0.06 decibel over a range of 0.01 to 50 decibels ... 139
Engines, expansion, for hydrogen liquefiers ... 25
Equipment and method for photoelectric determination of image contrast suitable for using square wave targets ... 57
Error analysis of a standard microwave phase shifter ... 261
Expansion engines for hydrogen liquefiers ... 25

F

Field from a rectangular source, radiation ... 121
Films, oleophobic, effect of on metal fatigue ... 147
Formation of silver sulfide in the photographic image during fixation ... 65
Free-air chamber, measurement of cobalt-60 and cesium-137 gamma rays ... 87
Free-air chamber, standard, for the measurement of low energy X-rays (20 to 100 kilovolts-constant potential) ... 49
Frankel, H. E., J. A. Pennett, W. L. Holshouser, Effect of oleophobic films on metal fatigue ... 147
Frenkel, L., Electrostatic deflection plates for cathode-ray tubes. I. Design of single-bend deflection plates with parallel entrance sections. II. Deflection defocusing distortion of single-bend deflection plates with parallel entrance sections ... 103
Functional synthesis of linear plots ... 115

G

Gage blocks, a new method of measuring ... 173
Gage blocks of superior stability: initial developments in materials and measurement ... 175
Gamma rays with a free-air chamber, measurement of cobalt-60 and cesium-137 ... 87
Gimbal device to minimize the effects of off-center loading on balance pans ... 277
Greenfeld, S. H., Characteristics of fifteen coating-grade asphalts ... 299
—, Chemical changes occurring during the weathering of two coating-grade asphalts ... 287

H

Hammond, H. K., III, W. L. Holford, M. L. Kuder, Ratio-recording spectroradiometer ... 151
Hefley, G., R. H. Doherty, E. L. Berger, An intermittent-action camera with absolute time calibration ... 159
Helium Dewar, nonventing liquid, temperature stratification ... 19
Hobbs, R. H., R. D. Stichler, M. N. Steel, G. G. Richey, J. Mandel, Power loss and operating temperature of tires ... 1
Holford, W. L. H. K. Hammond III, M. L. Kuder, Ratio-recording spectroradiometer ... 151
Holshouser, W. L., H. E. Frankel, J. A. Pennett, Effect of oleophobic films on metal fatigue ... 147
Hubbell, J. H., R. L. Bach, J. C. Lamkin, Radiation field from a rectangular source ... 121
Humidity, relative, response of microchemical balances to changes ... 281
Hydrogen liquefiers, expansion engines ... 25

I

Image contrast suitable for using square wave targets, equipment and method for photoelectric determination ... 57
Infrared, apparatus for the measurement of the normal spectral emissivity ... 99
Infrared, far, transmittance of materials ... 55
Input network, multiple isolated, with common output ... 225
Intermittent-action camera with absolute time calibration ... 159

J

Johnston, P. G., A. Maki, P. Stair, Apparatus for the measurement of the normal spectral emissivity in the infrared ... 99

K

Kelvin or Thomson double bridge, a method of controlling the effect of resistance in the link circuit ... 267
Keulegan, G. H., L. H. Carpenter, Disturbances due to the motion of a cylinder in a two-layer liquid system ... 241
Kuder, M. L., H. K. Hammond III, W. L. Holford, Ratio-recording spectroradiometer ... 151

L

Lamkin, J. C., J. H. Hubbell, R. L. Bach, Radiation field from a rectangular source ... 121
Linear plots, functional synthesis ... 115
Link circuit, method of controlling the effect of resistance in, of the Thomson or Kelvin double bridge ... 267
Liquefiers, hydrogen, expansion engines ... 25
Liquid system, two-layer, disturbances due to the motion of a cylinder ... 241

M

Page

Macurdy, L. F., H. A. Powman, Gimbal device to minimize the effects of off-center loading on balance pans ... 277
Mail, a statistical chain-ratio method for estimating relative volumes of to given destinations ... 37
Maki, A., R. Stair, R. G. Johnston, Apparatus for the measurement of the normal spectral emissivity in the infrared ... 99
Mandel, J., R. D. Stiehler, M. N. Steel, G. G. Richey, R. H. Hobbs, Power loss and operating temperature of tires ... 1
Mann, D. B., L. E. Scott, R. F. Robbins, B. W. Birmingham, Temperature stratification in a nonventing liquid helium Dewar ... 19
Measurement and materials, initial developments: gage blocks of superior stability ... 175
Measurement of cobalt-60 and cesium-137 gamma rays with a free-air chamber ... 87
Measurement of the normal spectral emissivity in the infrared, apparatus ... 99
Measurements, microwave attentuation, with accuracies from 0.0001 to 0.06 decibel over a range of 0.01 to 50 decibels ... 139
Metal fatigue, effect of oleophobic films ... 147
Method of controlling the effect of resistance in the link circuit of the Thomson or Kelvin double bridge ... 267
Meyerson, M. R., T. R. Young, W. R. Ney, Gage blocks of superior stability: initial developments in materials and measurement ... 175
Microchemical balances, response of to changes in relative humidity ... 281
Microwave attentuation measurements with accuracies from 0.0001 to 0.06 decibel over a range of 0.01 to 50 decibels ... 139
Microwave phase shifter, error analysis of a standard ... 281
Multiple isolated-input network with common output ... 225

N

Network, multiple isolated-input, with common output ... 225
New method of measuring gage blocks ... 173
Newman, A. E., N. C. Severo, A statistical chain-ratio method for estimating relative volumes of mail to given destinations ... 37
Ney, W. R., M. R. Meyerson, T. R. Young, Gage blocks of superior stability: initial developments in materials and measurement ... 175

O

Oleophobic films on metal fatigue, effect ... 147
Output, common, a multiple isolated-input network ... 225

P

Park, J. H., H. N. Cones, Phase angle master standard for 400 cycles per second ... 229
Phase angle master standard for 400 cycles per second ... 229
Photoelectric determination of image contrast suitable for using square wave targets, equipment and method ... 57
Photographic image during fixation, formation of silver sulfide ... 65
Plates, electrostatic deflection, for cathode-ray tubes ... 103
Plots, linear, functional synthesis ... 115
Plyler, E. K., L. R. Blaine, Transmittance of materials in the far infrared ... 55
Pope, C. I., Formation of silver sulfide in the photographic image during fixation ... 65
Power loss and operating temperature of tires ... 1

R

Radiation field from a rectangular source ... 121
Ramaley, D., A method of controlling the effect of resistance in the link circuit of the Thomson or Kelvin double bridge ... 267
Ratio-recording spectroradiometer ... 151
Rays, gamma, with a free-air chamber, measurement of cobalt-60 and cesium-137 ... 87
Recording of temperature, automatic precise ... 271
Rectangular source, radiation field ... 121
Relative humidity, response of microchemical balances to changes ... 281
Resolving power and type of test pattern, variation ... 209
Response of microchemical balances to changes in relative humidity ... 281
Richey, G. G., R. D. Stiehler, M. N. Steel, J. Mandel, R. H. Hobbs, Power loss and operating temperature of tires ... 1
Ritz, V. H., Standard free-air chamber for the measurement of low energy X-rays (20 to 100 kilovolts-constant potential) ... 49
Robbins, R. F., L. E. Scott, D. B. Mann, B. W. Birmingham, Temperature stratification in a nonventing liquid helium Dewar ... 19

Page

Rosberry, F. W., Equipment and method for photoelectric determination of image contrast suitable for using square wave targets ... 57
Ross, G. S., H. D. Dixon, Automatic precise recording of temperature ... 271

S

Saunders, J. B., A new method of measuring gage blocks ... 173
Schafer, G. E., R. W. Beatty, Error analysis of a standard microwave phase shifter ... 261
Scott, L. E., R. F. Robbins, D. B. Mann, B. W. Birmingham, Temperature stratification in a nonventing liquid helium Dewar ... 19
Severo, N. C., A. E. Newman, A statistical chain-ratio method for estimating relative volumes of mail to given destinations ... 37
Shifter, error analysis of a standard microwave phase ... 261
Silver sulfide in the photographic image during fixation, formation ... 65
Spectral emissivity in the infrared, apparatus for the measurement ... 99
Spectroradiometer, ratio-recording ... 151
Stability, superior, gage blocks of: initial developments in materials and measurements ... 175
Stair, R., A. Maki, R. G. Johnston, Apparatus for the measurement of the normal spectral emissivity in the infrared ... 99
Standard free-air chamber for the measurement of low energy X-rays (20 to 100 kilovolts-constant potential) ... 49
Statistical chain-ratio method for estimating relative volumes of mail to given destinations ... 37
Steel, M. N., R. D. Stiehler, G. G. Richey, J. Mandel, R. H. Hobbs, Power loss and operating temperature of tires ... 1
Step-up methods, capacitor calibration ... 75
Stiehler, R. D., M. N. Steel, G. G. Richey, J. Mandel, R. H. Hobbs, Power loss and operating temperature of tires ... 1
Stratification, temperature, in a nonventing liquid helium Dewar ... 19
Suspension, balance, device to minimize swinging and vibration ... 277
Synthesis of linear plots, functional ... 115

T

Tayman, W. P., F. E. Washer, Variation of resolving power and type of test pattern ... 209
Temperature, automatic precise recording ... 271
Temperature, operating and power loss of tires ... 1
Temperature stratification in a nonventing liquid helium Dewar ... 19
Test pattern, variation of resolving power and type ... 209
Thomson or Kelvin double bridge, a method of controlling the effect of resistance in the link circuit ... 267
Time calibration, absolute, an intermittent-action camera ... 159
Tires, power loss and operating temperature ... 1
Transmittance of materials in the far infrared ... 55

V

Variation of resolving power and type of test pattern ... 209
Vinti, J. P., R. F. Dressler, The functional synthesis of linear plots ... 115

W

Washer, F. E., W. P. Tayman, Variation of resolving power and type of test pattern ... 209
Wave targets, square, equipment and method for photoelectric determination of image contrast ... 57
Wychoff, H. O., Measurement of cobalt-60 and cesium-137 gamma rays with a free-air chamber ... 87

X

X-rays, low energy (20 to 100 kilovolts-constant potential), standard free-air chamber for the measurement ... 49

Y

Young, T. R., M. R. Meyerson, W. R. Ney, Gage blocks of superior stability: initial developments in materials and measurement ... 175

Z

Zapf, T. L., Capacitor calibration by step-up methods ... 75